

APPENDIX I

SAFE HANDLING DEMONSTRATION STEPS






Pursuant to Penal Code section 26850, subdivision (b), the following are the safe handling demonstration requirements that must be performed with the firearm being acquired. Please note that a dummy round as stated in this manual refers to one brightly colored orange, red, or other readily identifiable dummy round. If no readily identifiable dummy round is available, an empty cartridge casing with an empty primer pocket may be used.




SEMI-AUTOMATIC PISTOL:

The demonstration shall commence with the firearm unloaded and locked with the firearm safety device with which it is required to be delivered, if applicable. While maintaining muzzle awareness, that is, the firearm is pointed in a safe direction, preferably down at the ground, and trigger discipline, that is, the trigger finger is outside of the trigger guard and alongside of the firearm frame, at all times, the firearm recipient shall correctly and safely perform the following:



1.	Remove the magazine.	
2.	Lock the slide back. If the model of firearm does not allow the slide to be locked back, pull the slide back, visually and physically inspect the chamber to ensure that it is clear.	
3.	Visually and physically inspect the chamber, to ensure that the firearm is unloaded.	

4.	Remove the firearm safety device, if applicable. If the firearm safety device prevents any of the previous steps, remove the firearm safety device during the appropriate step.	
5.	Load one dummy round into the magazine	
6.	Insert the magazine into the magazine well of the firearm.	
7.	Manipulate the slide release or pull back and release the slide.	
8.	Remove the magazine.	

<p>9.</p>	<p>Visually inspect the chamber to reveal that a round can be chambered with the magazine removed.</p>	
<p>10.</p>	<p>Lock the slide back to eject the dummy round. If the firearm is of a model that does not allow the slide to be locked back, pull the slide back and physically check the chamber to ensure that the chamber is clear.</p>	
<p>11.</p>	<p>Apply the safety, if applicable.</p>	
<p>12.</p>	<p>Apply the firearm safety device, if applicable.</p>	